sisis®

A Masterpiece in BRITISH ENGINEERING




Expert Surfaces

DEN13888 - Sisis Catalogue 2019/20 04.indd 1 05/11/2019 08:57

CONTENTS PAGE

Welcome – A Masterpiece in British Engineering	3
Admired for Innovation the World Over	4
Versatile Quadraplay signals improvements at Wolverhampton RUFC	6
Pedestrian Scarifiers	8
Rotorake easy to change reels	11
Tractor Mounted Scarifiers	12
Pedestrian Aerators	16
Tractor Mounted Aerators	18
Pedestrian Slitter	22
Tractor Mounted Deep Slitters	24
Combination Implement Frames	26
Easy to Attach Combination Implements	28
Popular Combinations	29
Tractor Mounted Seeder	30
Tractor Mounted Sweepers	32
Tractor Mounted Brushes	34
Towed Interchangeable Roller or Brush Unit	36
Tractor Mounted Spreader & Top Dresser	37
Hand Tools	38
Choosing the correct tine	42
Helping to specify your SISIS equipment	43
Gaining knowledge from the experts	44
A helping hand from Team SISIS	46
Dennis	47







DEN13888 - Sisis Catalogue 2019/20 04.indd 2 05/11/2019 08:57











A Masterpiece in BRITISH ENGINEERING

For over 80 years the world's finest groundsmen, greenkeepers and gardeners have been choosing SISIS, the world's best turf maintenance equipment. The reason more people trust SISIS is that, like our users, we've always refused to compromise on quality. This commitment explains why even today every part of every machine is designed and built with pride in Derbyshire, England, incorporating only the finest materials and assembled by our team of experienced engineers.

We continue to invest in state-of-the-art facilities at the Derby factory. This includes design and development, high productivity machinery, training facilities for staff and customers, the latest systems of production control with the proven know-how to ensure quality and the highest standards of service are achieved that define the SISIS difference.

At SISIS we have long understood that service and aftersales must be as superb as the equipment for customers to achieve maximum performance and first class results. Our dealers and distributors, both in the UK and overseas, are trained in installing and maintaining all SISIS products to give you first class service wherever you are.

Welcome to our catalogue. We hope you enjoy looking through our products and, if at the end you're not certain what makes our machines so different, we ask you to give one a try.




Ian Howard – Managing Director

DEN13888 - Sisis Catalogue 2019/20 04.indd 3 05/11/2019 08:57







Admired for innovation
the WORLD OVER


Our team work harder to offer more support to more customers more of the time – whether at grass roots or with professional users. That's why you'll see our machines on the best pitches, greens and fine lawns around the world.

Solid Engineering with a unique feel...

Our reputation for innovation began in 1932 and has continued ever since. Through our ongoing development of cutting edge ideas our expertise will help the way natural and synthetic playing surfaces are prepared and maintained.

At SISIS every design detail makes a difference to performance. From industry firsts such as the patented contra-rotation principle developed in the 1950's to the more recent Aer-Aid system that's revolutionized the ground care industry, you can be sure engineering innovation runs through every SISIS machine.

DEN13888 - Sisis Catalogue 2019/20 04.indd 4 05/11/2019 08:57













DEN13888 - Sisis Catalogue 2019/20 04.indd 5 05/11/2019 08:57

Versatile Quadraplay signals improvements at Wolverhampton RUFC

Andrew Brough, head groundsman at Wolverhampton Rugby Union Football Club, claims that the SISIS Quadraplay single pass maintenance system, has helped him in his personal quest to improve the standard of pitches.



It is safe to say that Andrew is Wolverhampton Rugby Union Football Club through and through. He has played for the club since he was a child and his own children have followed in his footsteps and currently represent the junior teams. He also runs the bar in the club house and when he is not pulling pints or ordering more stock he is tending to the pitches.

Andrew admits that his role of head groundsman is his greatest responsibility and it is certainly not a role he has taken lightly since his appointment two years ago.

"Quite simply, my aim here is to improve the standard of the pitches and make sure they are as playable as possible," he said. "In the past we have had to cancel a lot of games because the pitches haven't been draining very well and we just never used to have the equipment – but now we have."

One of Andrew's first tasks as head groundsmen was to sign-up to the RFU's Groundsmen Connected initiative which is an easy access, two-way communication network between the RFU and rugby union groundsmen. It is the main communication channel for the RFU to provide information and advice to groundsmen and also has special offers and exclusive benefits for members.

Members have a direct communication channel on pitch maintenance issues with Twickenham's head groundsman Keith Kent, and it was Keith's advice which prompted Andrew to purchase the SISIS Quadraplay.

"I went to a seminar through the Groundsmen Connected scheme and I saw Keith who stressed the importance of aeration. Keith told me a lot about his thoughts on basic pitch requirements, what he felt was the best approach and also the best equipment to use. He told me that in his opinion he thought that the SISIS Quadraplay was the best way forward for us."

The SISIS Quadraplay multiple-purpose, single-pass maintenance incorporates a mounted frame for up to four implements such as grooming rakes, spikers, slitters, rollers and brushes. The implements can be fitted to the mainframe in any order and can be independently adjusted to achieve the desired effect. Compact, robust, versatile and with the ability to carry out up to four operations simultaneously – the Quadraplay makes life a lot easier for many groundsmen.

"It's a brilliant piece of kit – we've got a cutting deck on our tractor which came with the deal that allows us to basically cut the pitch and then we use the Quadraplay to finish off the pitch. It has made a huge difference to our aeration.

"It does everything I need it to do and I'm really pleased with it. "

Andrew Brough – Head Groundsman – Wolverhampton Rugby Union Football Club



DEN13888 - Sisis Catalogue 2019/20 04.indd 6 05/11/2019 08:57

"Ultimately, with the SISIS machinery I feel confident that I've got some really great equipment in place now which will absolutely improve the pitches."

Andrew Brough – Head Groundsman – Wolverhampton Rugby Union Football Club

"I also really like the roller which is great for presentation. It does everything I need it to do and I'm really pleased with it. I actually think that most rugby clubs could do with a Quadraplay because it would make their pitches a lot better. We haven't had to cancel any games since we've been using it."

As part of the package, Andrew also purchased the SISIS Multitiner – a tractor mounted aerator. Based on his experience of using the two new machines he later purchased a SISIS Variseeder – a tractor mounted overseeder; and he revealed his plans for using them.

"I'll be using the Multitiner to spike the pitches and obviously by doing that we will be able to go into the holes with sand. We will then go along the pitches and sweep all that nice sand into the ground and give it a bit more drainage and help to get rid of some of those holes and ditches."

"The pitches are a bit patchy at the moment and I want to reseed the pitches so I'll use the Variseeder to make sure we get more seed into the ground. Hopefully with more grass in the ground the pitches will repair a bit quicker and they will be nice and lush in time for the new season."



Versatile SISIS Quadraplay signals improvements at Wolverhampton RUFC.

DEN13888 - Sisis Catalogue 2019/20 04.indd 7 05/11/2019 08:57

Pedestrian Scarifier

Auto Rotorake MK5

Easy to use scarifiers for maximum thatch control and removal

SISIS pedestrian scarifiers use contra-rotating reels for a clean consistent performance, perfect for fine turf surfaces.

Bowls/Cricket/Croquet/Tennis | Golf | Lawns | Local Authority & Contractors



DEN13888 - Sisis Catalogue 2019/20 04.indd 8 05/11/2019 08:57

Lightweight and easy to manoeuvre, this pedestrian scarifier has been specifically designed to allow a range of interchangeable reels to be used for all year round maintenance. Maximum thatch control and removal helps to reduce the risk of disease, encourage 'up right' grass growth and a 'true' playing surface.




Unique features:

- Contra rotating reels with specially designed tipped blades for a clean consistent performance
- Quick change reels for thatch control and removal all year round and other essential maintenance tasks
- User friendly operator presence controls designed for maximum operator safety
- Micro depth adjustment control positioned on the handle for easy use
- Incorporate independent drive to the wheels and reel for effortless performance
- Slick tyres and full differential ensure ease of turning and minimal surface marking.

MODEL:	AUTO ROTORAKE MK5 POWER UNIT
Code:	**FS1052**
Working width:	500mm (20")
Engine:	GX160 Honda Engine

For details of reels go to Page 11.

FULL SPECIFICATION AVAILABLE ON www.sisis.com



SISIS Contra – Rotation Principle:

The Rotorake principle incorporates a series of blades rotating at high speed in the opposite direction to that of the conventional cylinder mower. The blades therefore cut upwards, continuously taking grass fibre away from the surface rather than pushing it into the surface of the turf. This also ensures that the machine is held to the ground and a regular working depth maintained.

Visit www.sisis.com to see the MK5 & 600HD in action

DEN13888 - Sisis Catalogue 2019/20 04.indd 9 05/11/2019 08:57

Pedestrian Scarifier

Rotorake 600HD

Heavy duty scarifier and linear aerator recommended by professionals

Bowls/Croquet/Tennis · Cricket · Golf · Lawns · Local Authority & Contractors

MODEL:	ROTORAKE 600HD
Code:	**FS1246**
Working width:	600mm (24")
Engine:	Honda GX390
Working depth:	30mm – with option to go deeper

For details of reels go to Page 11.

FULL SPECIFICATION AVAILABLE ON www.sisis.com

This heavy duty scarifier is equally at home when used for regular routine use at a shallow setting or a deeper setting when required. Also contributes to aeration and compaction relief by cutting clean, continuous slits to assist water and air absorption.







Unique features:

- Contra rotating reels with specially designed tipped blades for a clean consistent performance
- Quick change reels for ultimate thatch control and removal all year round
- User friendly operator presence controls designed for maximum operator safety
- 6 forward speeds for efficiency under varying conditions and depth
- Reverse gear for manoeuvrability
- Incorporates independent drive to the wheels and reel



DEN13888 - Sisis Catalogue 2019/20 04.indd 10 05/11/2019 08:57

Rotorake Easy to Change Reels

Reels	MK5	600HD		
1mm light scarifying reel 1mm replaceable, wear resistant tungsten tipped blades (12mm spacing) can be used throughout the season.	FS1098	n/a		
1mm light scarifying reel 1mm replaceable, wear resistant tungsten tipped blades (12mm spacing) can be used throughout the season.	n/a	FS1156		
1.6mm scarifying/thatch removal reel 1.6mm replaceable, wear resistant tungsten tipped blades (20mm spacing). Ideal for pre & post playing season renovation work.	FS1093	n/a		
2mm scarifying/thatch removal reel 2mm replaceable, wear resistant tungsten tipped blades (24mm spacing). Ideal for pre & post playing season renovation work.	n/a	FS1155		
2mm scarifying/saw blade reel 2mm replaceable, wear resistant tungsten tipped saw blades (24mm spacing). Ideal for pre & post playing season renovation work.	n/a	FS1253		
Verticutter/thatch control reel Sharpened offset triangular blades (6mm spacing) used regularly throughout the playing season to control lateral growth and improve green speed.	FS1095	n/a		
Verticutter Sharpened triangular blades, (12mm spacing) used regularly throughout the playing season to control lateral growth and improve green speed.	FS1200	FS1252		
Brush reel Used throughout the year for debris collection and clean up. Also used prior to mowing to stand grasses up and improve cut quality.	FS1088	FS1157		
Multi Dense/Synthetic brush reel Used throughout the year for debris collection and clean up. Also used prior to mowing to stand grasses up and improve cut quality.	FS1090	FS1275		
Rolaspike/Sarel roller Provides fast & effective surface aeration. Used during the playing season enables penetration of air, water and fertiliser.	FS1113	FS1158		
Faze-Mo reel Heavy duty reel used for removing unwanted surface matter such as thatch and weeds and surface levelling.	n/a	FS1159		

*Please note reels are available for the **Rotorake 450, Autorake Mk4** and the **Trio Rotorake** - please contact the office on **01332 824777** or your nearest dealership.

DEN13888 - Sisis Catalogue 2019/20 04.indd 11 05/11/2019 08:57

Tractor Mounted Scarifier

Rotorake TM1000

Combined scarification and linear aeration with heavy duty power

Football/Hockey/Rugby | Cricket/Tennis | Golf | Lawns | Local Authority & Contractors




DEN13888 - Sisis Catalogue 2019/20 04.indd 12 05/11/2019 08:58

A specially designed tractor mounted unit with a choice of four quick release interchangeable reels to aid the removal and control of thatch and help to reduce standing surface water by improving water infiltration. Features include a contra rotating reel for a clean consistent performance with a selection of various blades to suit key tasks.

The weight of the collection box and material is carried by the main frame on the front roller and independent from the reel, so when in use the additional weight does not force the reel to scarify deeper than has been set.

Unique features:

- Floating unit to follow ground contours
- Fast ground coverage
- Interchangeable reels and optional variable spacing allows key tasks such as scarifying, linear aeration, verticutting and brushing to be carried out
- Quick release reel system
- No tool depth setting for fast, simple adjustment
- Contra rotating reels ensure a clean consistent groove
- Standard Cat. 1, 3 point linkage
- When used without collection box, scarifying unit can be off set so that the wheels do not run over the removed thatch
- Optional hydraulic tipping kit



Contra rotating reel ensuring excellent performance



Easy to use manual tip system



Large capacity collection box, shown with optional hydraulic tip kit


MODEL:	ROTORAKE TM1000
Code:	**FS1258**
Working width:	1000mm (40")
Tractor power requirement:	18-20hp minimum
Working depth:	50mm (2") max (with scarifying reel)


Includes collection box.
For details of reels see below.

FULL SPECIFICATION AVAILABLE ON www.sisis.com

Rotorake Easy to Change Reels

Reels	
1mm light scarifying/verticutting reel	**FS1260**
1mm replaceable, wear resistant tungsten tipped blades. Can be used throughout the season.	
2mm scarifying/thatch removal reel	**FS1259**
2mm replaceable, wear resistant tungsten tipped blades. Ideal for pre and post playing season renovation work.	
3mm scarifying/thatch removal reel	**FS1261**
3mm replaceable, wear resistant tungsten tipped blades. Ideal for pre and post playing season renovation work.	







Reels	
Brush reel	**FS1263**
Used throughout the year for debris collection and clean-up. Also used prior to mowing to stand grasses up and improve cut quality.	
Faze-Mo reel	**FS1262**
Aggressive removal of thatch layer and surface levelling at the end of season.	





Optional Extras

Hydraulic Tipping Kit **FS1061**

Visit www.sisis.com to see the Rotorake TM1000 in action

DEN13888 - Sisis Catalogue 2019/20 04.indd 13 05/11/2019 08:58

Tractor Mounted Scarifier

Veemo MK2

Minimum surface disturbance with maximum thatch removal – designed for large areas

Football/Hockey/Rugby | Cricket | Golf | Local Authority & Contractors



Close-up of blades

DEN13888 - Sisis Catalogue 2019/20 04.indd 14 05/11/2019 08:58


A purpose designed, triple mounted hydraulic driven scarifier using strong cutting blades for maximum thatch removal and minimum surface disturbance.

The three independently floating heads follow ground contours closely without scalping.

Depth of cut is infinitely variable by means of a locking micro–adjuster on each unit. A choice of 1mm or 2mm tungsten tipped blades are available to carry out scarification and verticutting requirements.

Unique features:

- 3 fully floating units mounted on a chassis with support wheels to follow ground contours
- Efficient hydraulic system with large volume tank
- Direct hydraulic motor drive to each reel unit for maximum power transmission without belts
- Tool free depth setting by micro control on each unit means fast, simple adjustment
- Standard Cat.1, 3 point linkage for fast, easy coupling to tractor unit
- Integral heavy duty oil cooler for all climate conditions
- Fast ground coverage saving time and money




Micro adjusters for depth setting



Direct Drive to reel shaft via hydraulic motor



Tungsten tipped 'hook' blades for durability



Integral heavy duty Oil cooler

MODEL:	VEEMO MK2 INCLUDING OIL COOLER
Code:	**FS1014**
Working width:	2000mm (80")
Tractor power requirement:	30hp minimum
Includes 2mm tungsten tipped 'hook' blades reel.	

FULL SPECIFICATION AVAILABLE ON www.sisis.com

Also available with 'saw-tooth' blades upon request

MODEL:	VEEMO MK2 WITHOUT OIL COOLER
Code:	**FS1255**
Working width:	2000mm (80")
Tractor power requirement:	30hp minimum
Includes 2mm tungsten tipped 'hook' blades reel.	

FULL SPECIFICATION AVAILABLE ON www.sisis.com

Also available with 'saw-tooth' blades upon request

Visit www.sisis.com to see the Veemo MK2 in action

DEN13888 - Sisis Catalogue 2019/20 04.indd 15 05/11/2019 08:58

Pedestrian Aerators

Helping to keep grass in a healthy condition

By the pioneers of aeration techniques.

Bowls/Croquet/Tennis | Cricket | Golf | Lawns | Local Authority & Contractors



Image shows Dart model

DEN13888 - Sisis Catalogue 2019/20 04.indd 16 05/11/2019 08:58

Operator friendly and easy to manoeuvre range of vertical and drum type aerators. These machines are ideal for relieving soil compaction, allowing water and oxygen to the root zone, improving drainage and helping the turf become drought resistant. The interchangeable tines allow for a variety of aeration methods to be carried out on a regular basis with minimal surface disturbance. Ideal during and out of season.

Unique features:

- Vertical penetration and with drawl with minimal surface disturbance
- 'Easy lift system' for effortless turning and transport
- Selection of interchangeable tines



Dart

MODEL:	DART
Code:	**FS1231**
Action:	Vertical
Working width:	400mm (16")
Working depth:	100mm (4")
Engine:	Honda GX160

Power unit excludes tines

FULL SPECIFICATION AVAILABLE ON www.sisis.com



Supaturfman

MODEL:	SUPATURFMAN
Code:	**FS0637**
Action:	Drum
Working width:	400mm (16")
Working depth:	100mm (4")
Engine:	Honda GX160

Power unit excludes tines

FULL SPECIFICATION AVAILABLE ON www.sisis.com

DART TINES

Tines* (set of 8 tines)

100mm solid tine	**SETX8-D6728**
100mm pencil tine	**SETX8-F34257**
100mm hollow coring tine	**SETX8-D2107**
100mm chisel tine	**SETX8-D2109**
100 x 10mm hollow tine	**SETX8-F36447**
Optional Swath Board	**FS1117**

SUPATURFMAN TINES

Q/R tines* (set of 32 tines)

100mm solid tine	**SETX32-F34682**
100mm pencil tine	**SETX32-F35079**
100mm hollow coring tine	**SETX32-F34984**
100mm chisel tine	**SETX32-F35078**
114 x 10mm Jumbo coring tine	**SETX32-F35077**

***See page 42 for tine selection**

Optional extras



0.9m spiker slitter attachment

FS0312

Visit www.sisis.com to see the pedestrian aerators in action

DEN13888 - Sisis Catalogue 2019/20 04.indd 17 05/11/2019 08:58

Tractor Mounted Aerators

Javelin and Javelin Aer-Aid 1500

Aeration with a difference

Football/Hockey/Rugby | Cricket | Golf | Local Authority & Contractors




Image shows Javelin Aer-Aid complete with rear roller


DEN13888 - Sisis Catalogue 2019/20 04.indd 18 05/11/2019 08:58

The SISIS Javelin and Javelin Aer-Aid machines are specially designed tractor mounted vertical action aerators for use on both fine and outfield turf.

The machines can be used all year round due to the large selection of tines helping to break up compaction allowing water, air and nutrients to penetrate the root zone. Consistent use helps to produce a surface that is less affected by the adversities of weather conditions leaving minimal disturbance.

The Aer-Aid system injects air directly into the root zone speeding up the aeration process, moving air uniformly throughout the root zone for complete aeration – not just where the tines have penetrated.

The cam trigger mechanism ensures that the air is always expelled at the bottom of the tine penetration enabling treatment to be targeted precisely.



"A breath of fresh air"

STRI trials demonstrated the Aer-Aid system:

- Significantly reduces surface and soil compaction
- Increased water infiltration rates
- Manages soil based issues
- Enhances root development
- Helps to limit turf damage caused by disease when integrated in a management programme



Quick, single lever tine depth setting for easy adjustment

Unique features:

- Fast forward speed for excellent productivity
- Quiet in operation
- When working at 75mm (3") spacing air is introduced at a rate of 88 litres (3cu.ft) per minute
- The air injection tines are specially designed to use the maximum air available from the compressor which produces clean, fresh air at a constant rate
- Minimal maintenance required due to bearings fully sealed and no grease nipples in the drive system

MODEL:	JAVELIN AER-AID
Code:	**FS1066**
Action:	Vertical Air Injection
Working width:	1500mm (60")
Working depth:	127mm (5")
Tractor power requirement:	30hp minimum.

Includes set of 10 air/non-air tines and rear pressure roller

FULL SPECIFICATION AVAILABLE ON www.sisis.com

MODEL:	JAVELIN
Code:	**FS1256**
Action:	Vertical
Working width:	1500mm (60")
Working depth:	127mm (5")
Tractor power requirement:	30hp minimum.

Includes set of 10 air/non-air tines and rear pressure roller

FULL SPECIFICATION AVAILABLE ON www.sisis.com

Optional Extras

Special tines* (set of 10 tines)

127 x 10mm 'air tines'		**SETX10-F36948**
127 x 10mm 'non air tines'		**SETX10-F36949**
Optional turf retainers		**FS1009**

Optional tines* (20 or 30 per set)

127mm solid tine	set of 20	**SETX20-F31730**
	set of 30	**SETX30-F31730**
127x7mm pencil tine	set of 20	**SETX20-F33965**
	set of 30	**SETX30-F33965**
127x16mm hollow tine	set of 20	**SETX20-F31277**
	set of 30	**SETX30-F31277**
114mm Jumbo hollow tine	set of 20	**SETX20-F35967**
	set of 30	**SETX30-F35967**
100x12.5mm hollow tine	set of 20	**SETX20-F36447**
	set of 30	**SETX30-F36447**

***See page 42 for tine selection**

Visit www.sisis.com to see the Javelin or Javelin Aer-Aid in action

DEN13888 - Sisis Catalogue 2019/20 04.indd 19 05/11/2019 08:58

Tractor Mounted Aerators

Multitiners

Helping to restore and maintain playing surfaces all year round

Football/Hockey/Rugby Cricket Golf Local Authority & Contractors



Image shows Multitiner 1.8m

DEN13888 - Sisis Catalogue 2019/20 04.indd 20 05/11/2019 08:58

Simple design with low maintenance, the Multitiners are drum type tractor mounted aerators for use on fine turf surfaces and sports fields and are well suited to performing a range of various aeration methods such as solid, chisel and hollow tining. Fast and effective, these aerators will leave minimal surface disturbance.



Unique features:

- Choice of interchangeable tines for different aeration methods
- Quick release guard cover
- No 'tools required' quick release tines
- Rear spring loaded pressure rollers to follow undulations (1.2 version only)
- Large rear pressure roller that can be used for extra weight in hard conditions (1.8 version only)
- Tine drums have independent rotation
- 3 point linkage for use on most compact tractors

MODEL:	MULTITINER 1.2	MULTITINER 1.8
Code:	FS0546	FS1179
Action:	Drum type	Drum type
Working width:	1200mm (48")	1800mm (72")
Max working depth:	100mm (4")	100mm (4")
Tractor power requirement:	20hp minimum	35hp minimum

Unit includes rollers, but not tines

FULL SPECIFICATION AVAILABLE ON www.sisis.com

MULTITINER 1.2

Optional tines* – set of 96

100mm solid tine	**SETX96-D6728**
100mm chisel tine	**SETX96-D2109**
76mm hollow tine	**SETX96-D2048**
115mm Jumbo hollow tine	**SETX96-F35967**
67mm pencil tine	**SETX96-D2047**

MULTITINER 1.8

Optional tines* – set of 120

100mm solid tine	**SETX120-D6728**
100mm chisel tine	**SETX120-D2109**
76mm hollow tine	**SETX120-D2048**
115mm Jumbo hollow tine	**SETX120-F35967**
67mm pencil tine	**SETX120-D2047**

***See page 42 for tine selection**

The Rolaspike is a tractor mounted sarel type roller which is ideal for surface aeration assisting with the absorption of water, air and nutrients into the turf. Also useful as part of an overseeding programme preparing the surface for seed.

Rolaspike (requires single play frame)

Code:	FS1271	FS1169	FS1267
Action:	Sarel Type	Sarel Type	Sarel Type
Working width:	1200mm (48")	1800mm (72")	2400mm (96")
Max working depth:	50mm (2")	50mm (2")	50mm (2")
Tractor Power Requirement:	18hp minimum	18hp minimum	18hp minimum



Optional extras

Single play frame	**FS0870**

FULL SPECIFICATION AVAILABLE ON www.sisis.com

ROLASPIKE UNIQUE FEATURES:

- Can be fitted to the SISIS Singleplay, Twinplay, Tri-play or Quadraplay combination frames for easy attachment to any tractor

Visit www.sisis.com to see the Multitiner or Rolaspike in action

DEN13888 - Sisis Catalogue 2019/20 04.indd 21 05/11/2019 08:58

Pedestrian Slitter

Autoslit

Easy to use slitter with minimal surface marking

Football/Hockey/Rugby | Bowls/Croquet/Tennis | Golf | Lawns | Local Authority & Contractors



DEN13888 - Sisis Catalogue 2019/20 04.indd 22 05/11/2019 08:58

A purpose built pedestrian deep slitter which is suitable for use on fine or outfield turf helping to reduce compaction and assist the percolation of surface water.

The deep clean slitting action cuts through the turf and the root zone leaving a thin slit on the surface and minimal surface disturbance.

These slits encourage strong, healthy root growth of the grass plants, improving tolerance to drought conditions and promoting more rapid recovery after damage in play.

Easy to use the Autoslit incorporates a rear smoothing roller and uses a cantilever system to lift the machine out of operation.

Unique features:

- Choice of interchangeable slitting tines to suit different ground conditions
- The angle of the tines and spiral design of tine shaft assist penetration giving maximum underground cultivation with minimum surface disturbance
- Tine plates have a wide rim to reduce marking in soft or undulating conditions
- Safety guard is quickly removed for easy tine change
- For ease of use, and to comply with EU lifting regulations, the patented design uses a cantilever system to lift the machine out of work
- Incorporates rear smoothing roller
- Fine turf sharpened tines included as standard



Pivoted smooth rear rollers for ease of movement and a 'finishing touch' to the slitting process



The cantilever system for lifting the machine out of operation



User friendly operator controls

MODEL:	AUTOSLIT
Code:	**FS0819**
Working width:	900mm (36")
Working depth:	150mm (6")
Engine:	Honda GX160

OPTIONAL TINES*

Optional tines (24 per unit)

152mm heavy duty/outfield	**D7493**
152mm sharpened fine turf	**D6951**

***See page 42 for tine selection**

FULL SPECIFICATION AVAILABLE ON www.sisis.com

Visit www.sisis.com to see the Autoslit in action

DEN13888 - Sisis Catalogue 2019/20 04.indd 23 05/11/2019 08:58

Tractor Mounted Deep Slitters

Optimum aeration for maximum health

Deep slitting aerators work... with minimal surface disturbance for the ultimate finish.

Football/Hockey/Rugby | Cricket | Golf | Local Authority & Contractors



Image shows 1.8m Maxislit


DEN13888 - Sisis Catalogue 2019/20 04.indd 24 05/11/2019 08:58

Built to last, a range of tractor mounted deep slitters for both outfield and fine turf.

Different working widths and varying maximum depths allow a model to be selected to suit any tractor and most applications.

These machines are simple in design and low maintenance. Their thin sharp blades cut through the turf and root zone leaving only a slit on the surface but giving deep optimum sub soil disturbance.

Regular slitting encourages strong, healthy root growth of the grass plants, improving tolerance to drought conditions and promoting more rapid recovery after damage in play.



Multislit model



Maxislit model



Megaslit model

Unique features:

- Choice of interchangeable slitting tines to suit different ground conditions (Multislit versions only)
- The angle of the tines and spiral design of tine shaft assist penetration giving maximum underground cultivation with minimum surface disturbance
- Tine plates have a wide rim to reduce marking in soft or undulating conditions
- Rollers fitted as standard to all models
- Strong shatterproof boron steel tines

MODEL:	MULTISLIT 1200	MULTISLIT 1500	MAXISLIT	MEGASLIT
Code:	**FS1233**	**FS1234**	**FS0634**	**FS0717**
Working width:	1200mm (1.2m 48")	1500mm (1.5m 60")	1800mm (1.8m 72")	2500mm (2.5m 100")
Working depth:	6" or 8"	6" or 8"	7" or 9"	9" or 12"
Tractor power requirement:	15-25hp	15-25hp	25-35hp	40hp
Includes:	Set of 152mm sharpened fine turf tines + weight tray	Set of 152mm sharpened fine turf tines + weight tray	Set of heavy duty tines* **(F34842)**	Set of heavy duty tines* **(F35602)**

MULTISLIT OPTIONAL TINES*

Set of 32 for 1200
Set of 40 for 1500

152mm heavy duty/outfield	**D7493**
152mm sharpened/fine turf	**D6951**
203mm sharpened/fine turf	**D6998**

***See page 42 for tine selection**

FULL SPECIFICATION AVAILABLE ON www.sisis.com

Visit www.sisis.com to see the deep slitters in action

DEN13888 - Sisis Catalogue 2019/20 04.indd 25 05/11/2019 08:58

Combination Implement Frames

Performance you can rely on

Versatile maintenance equipment trusted by professional groundsmen for a variety of applications.

Football/Hockey/Rugby | Cricket | Golf | Local Authority & Contractors




Image shows Quadraplay frame with four implements

DEN13888 - Sisis Catalogue 2019/20 04.indd 26 05/11/2019 08:58

IMPLEMENT MOUNTED FRAMES

Single pass maintenance system which accepts a variety of implements for use on both turf and hard porous surfaces. Up to four operations can be carried out simultaneously with this simple and versatile system. All implements are fully interchangeable and independently adjustable to give the desired effect and can be raised out of use when not required.

Connects to any tractor with 3 point linkage and utility trucks with suitable frame.



Singleplay frame suitable for 1 implement

MODEL: SINGLEPLAY COMPLETE FRAME

Code: **FS0870**



Twinplay frame suitable for 2 implements

MODEL: TWINPLAY COMPLETE FRAME

Code: **FS1237**



Tri-play frame suitable for 3 implements

MODEL: TRI-PLAY COMPLETE FRAME

Code: **FS1236**



Quadraplay frame suitable for 4 implements

MODEL: QUADRAPLAY COMPLETE FRAME

Code: **FS0758**

FULL SPECIFICATION AVAILABLE ON www.sisis.com

TOWED IMPLEMENT FRAMES

Ideal for towing behind small compact tractors when hydraulic lift is not available. The system can use implements singly or in pairs by using the optional extension arms.



Towed implement frame with extension arms suitable for 2 implements

TOWED SINGLE IMPLEMENT FRAME – MANUAL LIFT

Code: **FS1118**

TOWED SINGLE IMPLEMENT FRAME – ELECTRIC LIFT

Code: **FS1238**

TWIN IMPLEMENT EXTENSION ARMS

Code: **FS1123**

For details of implements go to page 28

FULL SPECIFICATION AVAILABLE ON www.sisis.com

Visit www.sisis.com to see the combination implement frames in action

DEN13888 - Sisis Catalogue 2019/20 04.indd 27 05/11/2019 08:58

Easy to Attach Combination Implements

IMPLEMENTS	1.2m	1.8m	2.4m	
Deep Slitter Relieves compaction helping to assist in the absorption of water, air and nutrients into the root zone with minimal surface disturbance. Ideal for pre-season and end of season maintenance (for towed implement frame only).	FS1162	n/a	n/a	
Spiker Slitter Fast method of surface aeration allowing air and water to percolate into the root zone. Ideal for use during the playing season and before fertilizer applications and irrigation.	FS0561	FS0764	FS0774	
Rolaspike Ideal for surface aeration during the playing season allowing water and air into the root zone and integrating fertilizer into the surface. Also useful as part of an overseeding programme.	FS1271	FS1169	FS1267	
Straight Brush Used for standing grasses up, removing excess dew, enhancing presentation and brushing in dressings. Ideal on natural grass and hard porous areas. **See note below table*	FS0865B	FS0765B	FS0775B	
Zig Zag Brush Angled brush sections increase the brushing intensity. Ideal for removing dew, standing grasses up, working in top dressing and improving presentation. Ideal on natural grass and hard porous areas. **See note below table*	n/a	FS0869B	FS0516B	
Flexicomb Ideal for standing up grasses and grooming, the easily adjusted crossbar increases or decreases the Flexicombs intensity. **See note below table*	FS1163 1.3m wide	FS1134	FS1277	
Intermediate Rake 4mm diameter tines. Ideal for regular use on hard porous surfaces, gravel paths and running tracks.	FS1270	FS0759	FS1268	
Tilth Rake 5.5mm diameter tines. Ideal for compacted hard porous surfaces, gravel paths and running tracks.	FS1269	FS0760	FS1266	
Spring Tine Grooming Rake 7mm diameter spring tines for grooming and raking. Ideal for standing grasses up to improve presentation and remove thatch, useful for creating a tilth on worn areas. Also suitable for use on hard porous surfaces. **See note below table*	FS1148	FS0761	FS0771	
Fine Grooming Rake 5mm diameter spring tines for grooming and raking. Ideal for standing grasses up to improve presentation and remove thatch, useful for creating a tilth on worn areas. Also suitable for use on hard porous surfaces. **See note below table*	FS1272	FS1075	FS1076	
Levelling Lute Ideal for levelling and grading hard porous surfaces.	n/a	FS0762	FS0772	
Roller Ideal for light rolling of all surfaces and enhancing presentation. Used on natural grass and hard porous areas.	FS0863	FS0763	FS0773	
Grader Plate Ideal for levelling greyhound tracks or other sand based surfaces leaving a lightly compacted polished finish.	n/a	FS1110 2m wide	FS1109	

**Suitable for maintenance of synthetic surfaces – please contact SISIS for a copy of the SISIS synthetic product brochure.*

DEN13888 - Sisis Catalogue 2019/20 04.indd 28 05/11/2019 08:59


Popular Combinations

QUADRAPLAY + SPIKER SLITTER + FINE GROOMING RAKE + ROLLER + BRUSH



Ideal for: **Football/Hockey/Rugby** **Cricket outfield**

QUADRAPLAY + FINE GROOMING RAKE + INTERMEDIATE RAKE + GRADER PLATE



Ideal for: **Greyhound race tracks**

TWINPLAY + ZIG ZAG BRUSH + BRUSH



Ideal for: **Football/Rugby** **Golf**

TWINPLAY + SPIKER SLITTER + BRUSH



Ideal for: **Football/Rugby** **Golf**

SINGLEPLAY + SPIKER SLITTER



Ideal for: **Golf**

Visit www.sisis.com to see the combination implement frames in action

DEN13888 - Sisis Catalogue 2019/20 04.indd 29 05/11/2019 08:59

Tractor Mounted Seeder

Variseeder 1300

High build quality, efficient output with low maintenance

Football/Hockey/Rugby | Cricket | Golf | Local Authority & Contractors



Standard cat 1, 3 point linkage for easy fitting to any tractor


DEN13888 - Sisis Catalogue 2019/20 04.indd 30 05/11/2019 08:59

A compact and versatile tractor mounted overseeder ideal for renovation and repair work.

The studded roller prepares the seedbed by creating thousands of little "plant pots" to receive the seed without linear grooves that can disturb play. Variable seed rates and options on discharge rollers allow different seed varieties to be introduced to the sward.

Unique features:

- Seeding rate is variable and is simple and accurate to set by Zero max box
- Fast work rate
- Overseeding carried out without taking ground out of play
- Studded roller creates seed bed
- Low maintenance with few wearing parts
- Integral weight bar
- Standard cat.1, 3 point linkage for easy fitting to any tractor
- Can be adapted for use with most common power units for golf and sports ground work




Zero Max Box for variable seed rates



Studded roller for minimal surface disturbance and creating the seedbed 'plant pots'



Transport trolley – storage trolley for ease of movement in the shed/workshop



Grooved discharge roller – two discharge roller options for pure bent, rye grass/fescue

MODEL:	VARISEEDER 1300	
Code:	**FS1056**	**FS1245**
Complete with:	Standard discharge roller	Ultra fine discharge roller
Working width:	1300mm (52")	1300mm (52")

FULL SPECIFICATION AVAILABLE ON www.sisis.com

Optional Extras

Ultra fine discharge roller (for pure bent seed only)
Code: **FS1059**

Standard discharge roller (for rye grass/fescue)
Code: **FS1057**

Visit www.sisis.com to see the Variseeder in action

DEN13888 - Sisis Catalogue 2019/20 04.indd 31 05/11/2019 08:59

Tractor Mounted Sweepers

Enhance the aesthetic presentation of your pitch

Sweepers specially designed for large areas.

Football/Hockey/Rugby | Cricket | Golf | Local Authority & Contractors



Image shows Litamina 1200

DEN13888 - Sisis Catalogue 2019/20 04.indd 32 05/11/2019 08:59

Collection and removal of surface debris is an important part of any maintenance programme. Whether it is following scarifying or core aeration or simply collecting leaves or litter, the process must be carried out without damaging the turf.

Ideal for fine or outfield turf the SISIS range of easily adjustable tractor sweepers have spiral designed brushes that drive the debris into large capacity hoppers whilst following ground contours.

Unique features:

- Collects wide range of debris including leaves, pine needles, grass, thatch, cores, litter
- Spiral design brush for effective collection
- Ideally suited to follow ground contours
- "No tools" required simple brush adjustment
- Galvanised collection hopper for long life
- Large capacity hopper
- Standard cat 1.3 point linkage for simple connection



Detail of brush



Litamina (showing tip feature)

MODEL:	LITAMINA 1200	LITAMINA 1500	LITAMISA 1800
Code:	**FS1070**	**FS1047**	**FS0428**
Working width:	1200mm (48")	1500mm (60")	1800mm (72")
Empty method:	Hydraulic Tip	Hydraulic Tip	Hydraulic Tip
Min Tractor Requirement:	25hp	30hp	40hp

FULL SPECIFICATION AVAILABLE ON www.sisis.com

Visit www.sisis.com to see the tractor mounted sweepers in action

DEN13888 - Sisis Catalogue 2019/20 04.indd 33 05/11/2019 08:59

Tractor Mounted Brushes

Delivering an outstanding finish

Football/Hockey/Rugby Cricket Golf Local Authority & Contractors



Image shows Flexibrush

DEN13888 - Sisis Catalogue 2019/20 04.indd 34 05/11/2019 08:59

A range of tractor mounted brushes designed for fast effective brushing on large areas such as golf fairways and sports grounds. Ideal for brushing in top dressings, dew dispersal, striping for improved presentation and lifting grasses prior to cutting.

The brush sections on the Flexibrush model float to follow ground contours with the outer sections folding hydraulically for ease of transport and storage.

The Varibrush model has a multiple brushing action to allow maintenance to be completed with fewer passes therefore reducing compaction.

A choice of three mounting options are available for the Varibrush ensuring it can be used on a variety of vehicles.

Flexibrush unique features:

- Brush sections float to follow ground contours
- Outer sections fold for transport and storage
- Supplied with stand and castors for easy movement when storing
- 3 point linkage

MODEL:	FLEXIBRUSH
Code:	**FS1033**
Working width:	5350mm (214")
Min Tractor requirement:	18hp

FULL SPECIFICATION AVAILABLE ON www.sisis.com



Flexibrush



Varibrush



Adjustable wheels (Varibrush)

Varibrush unique features:

- Brush frame is reversible to allow brush wear
- Adjustable drawbar for towing height and length
- Easy to handle and attach
- Multiple action means fewer passes and therefore reduced compaction

MODEL:	VARIBRUSH
Options	**Code**
With 3 point linkage mounting frame	**FS1029B**
With manual lift towing frame & ball hitch	**FS1024B**
With electric lift towing frame & ball hitch	**FS1027B**
Units are complete with wheels	
Working width:	1850mm (74")
Min Tractor requirement:	18hp mounted – 12hp towed

FULL SPECIFICATION AVAILABLE ON www.sisis.com

Visit www.sisis.com to see the tractor mounted brushes in action

DEN13888 - Sisis Catalogue 2019/20 04.indd 35 05/11/2019 08:59

Towed Interchangeable Roller or Brush Unit

Flexi400


Fast and effective coverage of golf fairways and sports grounds

Football/Hockey/Rugby · Cricket · Golf · Local Authority & Contractors

An interchangeable unit which has been specifically designed for fast and effective coverage on large areas such as golf fairways and sports grounds.

The unit has seven fully floating heads which allows it to follow ground contours.

Fitted with either roller or brush heads, it is ideal for the removal of dew, striping for improved presentation, lifting grasses prior to cutting, or brushing in top dressings.



Arms in folded position for ease of storage

Image shows Flexi400 with rollers

Unique features:

- Fast and effective ground coverage
- Easy to handle and attach
- Seven floating heads
- Easy to store and transport
- Attachable by either 50mm ball hitch or clevis pin



Attached and ready for action

MODEL:	FLEXI400
Code:	**FS1273**
Description:	Towed unit with rollers
Working width:	4000mm (158")
Power unit requirement:	15hp minimum

FULL SPECIFICATION AVAILABLE ON www.sisis.com

Optional Extras

Brush heads	**800230**



Optional brush head

Visit www.sisis.com to see the Flexi400 in action

DEN13888 - Sisis Catalogue 2019/20 04.indd 36 05/11/2019 08:59

Tractor Mounted Spreader & Top Dresser

Powaspred

Football/Hockey/Rugby · Cricket · Golf · Local Authority & Contractors

The Powaspred will spread most free flowing materials including sand, loam, rock salt, rubber crumb and hard porous dressings at the desired rate with an even consistent spread.

Unique features:

- Infinitely variable spreading rates
- Oscillating base plate to reduce bridging
- Rotating brush at point of discharge to ensure even spread
- 4 tyres on a twin axle to avoid marking and to spread load on fine turf





Close up of the rotating brush and oscillating plate

MODEL:	POWASPRED
Code:	**FS0780**
Operating width:	1200mm (48")
Min tractor requirement:	15hp minimum

FULL SPECIFICATION AVAILABLE ON www.sisis.com

Visit www.sisis.com to see the Powaspred in action

DEN13888 - Sisis Catalogue 2019/20 04.indd 37 05/11/2019 08:59

Hand Tools:

Pedestrian Spreader & Top Dresser

Truspred

Bowls/Croquet/Tennis Cricket Golf Lawns

A versatile hand operated spreader and top dresser for the accurate even application of grass seed or top dressing material.

Particularly useful for applying top dressing to small areas such as cricket squares, bowling greens, golf greens and tees and lawns.

Unique features:

- Simple to set spreading rates
- Ribbed rubber conveyor belt for accurate placement
- Carrier wheels permit spread right to the edge of bowling greens

MODEL:	TRUSPRED
Code:	**FS1174**
Working width:	900mm (36")

FULL SPECIFICATION AVAILABLE ON www.sisis.com



**Please note a carriage charge will be applied to hand tool equipment*


Image shows Truspred

Visit www.sisis.com to see the Truspred in action

DEN13888 - Sisis Catalogue 2019/20 04.indd 38 05/11/2019 08:59

Dragmats

Ideal for rubbing in dressings and routine surface renovation.



MODEL:	HAND PULLED	HAND PULLED/TOWED	TOWED
Code:	**FS1036**	**FS1242**	**FS1037**
Working width:	1.35m wide x 1.2m	1.8m wide x 1.2m	2.7m wide x 1.2m

FULL SPECIFICATION AVAILABLE ON www.sisis.com

Spreader

Designed to distribute compost and other similar organic materials evenly over grass surfaces.




MODEL:	SPREADER
Code:	**FS1243**
Working width:	620mm (25")

FULL SPECIFICATION AVAILABLE ON www.sisis.com

Trulute

Reversible levelling grid with different profiles for use on turf, shale and gravel surfaces. One side has smooth edges for spreading top dressing and levelling whilst the other side has sharp edges for working in top dressings and levelling back high spots. Folding handle for ease of transportation and storage.



MODEL:	TRULUTE
Code:	**FS0302**
Working width:	600mm (24")

FULL SPECIFICATION AVAILABLE ON www.sisis.com

**Please note a carriage charge will be applied to hand tool equipment*

DEN13888 - Sisis Catalogue 2019/20 04.indd 39 05/11/2019 08:59

Aerdrain Fork

Simple but effective aeration fork with interchangeable tines for year round use.



MODEL:	AERDRAIN FORK (LESS TINES)	127MM LONG SOLID TINES (SET OF 5)	127MM LONG HOLLOW TINES (SET OF 3)
Code:	**FS1144**	**SETX5-D1534**	**SETX3-D1535**

FULL SPECIFICATION AVAILABLE ON www.sisis.com



Trulevel Roller

Ideal bowling green roller which can be pulled or pushed with ease to firm the soil without compaction. Overriding action on slight hollows allows areas to be firmly rolled whilst low areas are left so that the playing surface is progressively levelled. Outer rollers can be raised concentrating the weight on the centre roller if desired.


MODEL:	TRULEVEL (120KG ROLLER)	ADDITIONAL WEIGHTS (SET OF 2)
Code:	**FS0801**	**FS1257**
Working width:	900mm (36")	

FULL SPECIFICATION AVAILABLE ON www.sisis.com

Bray Hand Tools

Ideal for overseeding and aerating small areas on bowling greens, tennis courts, golf greens, tees and ornamental lawns.

- Interchangeable reels between slotter and spiker
- Encourages rapid germination and stronger growth
- No loss of play and no top dressing required.



MODEL:	HAND SLOTTER	ADDITIONAL SLOTTER REEL	HAND SPIKER	ADDITIONAL SPIKER REEL
Code:	**BS002**	**BS005**	**BS004**	**BS003**
Working width:	250mm (10")	250mm (10")	250mm (10")	250mm (10")

FULL SPECIFICATION AVAILABLE ON www.sisis.com

**Please note a carriage charge will be applied to hand tool equipment*

DEN13888 - Sisis Catalogue 2019/20 04.indd 40 05/11/2019 08:59

Ferret

Ideal tool for roughing up small bare areas such as foot holes on a cricket square where ongoing repairs are required throughout the year. The tool incorporates an offset star wheel to create a tilth. Folding handle for ease of transportation and storage.



MODEL:	FERRET
Code:	**FS0826**
Working width:	250mm (10")

FULL SPECIFICATION AVAILABLE ON www.sisis.com

Dragbrush

Heavy duty dragbrush for brushing in top dressing, removal of dew and for brushing and levelling hard porous areas.



MODEL:	DRAGBRUSH	
Code:	**FS1166**	**FS1248**
Working width:	1800mm (1.8m/72")	2400mm (2.4m/96")

FULL SPECIFICATION AVAILABLE ON www.sisis.com

Combirake

Simple to use combined rake and brush for use on small turf areas. Downward pressure is applied by gentle pressure on the handles. Folding handle for ease of transportation and storage.








MODEL:	COMBIRAKE
Code:	**FS0932**
Working width:	690mm (28") rake 910mm (36") brush

FULL SPECIFICATION AVAILABLE ON www.sisis.com

**Please note a carriage charge will be applied to hand tool equipment*

DEN13888 - Sisis Catalogue 2019/20 04.indd 41 05/11/2019 08:59

Choosing the correct tine – a basic guide

	When to use:	SISIS Products:	Max Depth	External Dia
Pencil				
	Ideal for use on fine turf during the playing season. Will help to relieve compaction with minimal surface disruption.	Dart	100mm	7mm
		Supaturfman	100mm	7mm
		Javelin Aer-Aid	127mm	7mm
		Javelin	127mm	7mm
		Multitiner 1.2	67mm	7mm
		Multitiner 1.8	67mm	7mm
Solid				
	A good, general purpose tine suitable for fine turf & outfield use. Can be used throughout the year and is popular for use during spring & autumn renovations.	Dart	100mm	12.5mm
		Supaturfman	100mm	12.5mm
		Javelin Aer-Aid	127mm	12.5mm
		Javelin	127mm	12.5mm
		Multitiner 1.2	100mm	12.5mm
		Multitiner 1.8	100mm	12.5mm
		Aerdrain Fork	127mm	7mm
		Javelin Aer-Aid 'Air Tines'	127mm	10mm
		Javelin Aer-Aid 'Non Air Tines'	127mm	10mm
Hollow				
	Used in the spring and autumn for compaction relief & soil exchange on fine turf.	Dart	100mm	16mm
		Dart	100mm	10mm
		Supaturfman	100mm	16mm
		Javelin Aer-Aid	127mm	16mm
		Javelin Aer-Aid	100mm	12.5mm
		Javelin	127mm	16mm
		Javelin	100mm	12.5mm
		Multitiner 1.2	76mm	16mm
		Multitiner 1.8	76mm	16mm
		Aerdrain Fork	127mm	15mm
Jumbo Hollow				
	Used in the spring and autumn for compaction relief & high volume soil exchange on fine turf.	Supaturfman	114mm	22mm
		Javelin Aer-Aid	114mm	22mm
		Javelin	114mm	22mm
		Multitiner 1.2	115mm	22mm
		Multitiner 1.8	115mm	22mm
Chisel				
	Mainly used throughout the winter months on fine turf. Provides a slit with a large wall area. Encourages deeper rooting.	Dart	100mm	N/A
		Supaturfman	100mm	N/A
		Multitiner 1.2	100mm	N/A
		Multitiner 1.8	100mm	N/A
Slit				
	Generally used autumn, winter and spring on fine turf. Unique design gives maximum underground aeration with minimal surface disruption. Heavy duty slitting tines are used on all types of outfield. Used autumn, winter and spring.	Autoslit	152mm	N/A
		Multislit	152mm/203mm	N/A
		Maxislit	228mm	N/A
		Megaslit	300mm	N/A

This information is intended for guidance purposes only. We recommend that you discuss your specific requirements with our head office, Sales Managers or your local SISIS Dealer. No responsibility is accepted by SISIS for incorrect use.

DEN13888 - Sisis Catalogue 2019/20 04.indd 42 05/11/2019 08:59

Helping you specify your SISIS Equipment

Applications	Pedestrian Scarifiers	Tractor Mounted Scarifiers	Pedestrian Aerators	Tractor Mounted Aerators	Pedestrian Slitters	Tractor Mounted Slitters	Combination Frames	Tractor Mounted Seeder	Tractor Mounted Sweeper	Tractor Mounted Brushes	Towed Roller	Tractor Mounted Top Dresser & Spreader	Truspred	Hand Tools
Bowls/Croquet/Tennis	■	Tennis only (TM1000)	■		■				■				■	■
Football/Hockey/Rugby		■		■	■	■	■	■	■	■	■	■		■
Cricket - Wicket	■		■				■		■	Varibrush only			■	■
Cricket - Square	■	TM1000 only	■	■			■	■	■	■	■	■	■	■
Cricket - Outfield		■		■		■	■	■	■	■	■	■	■	
Golf - Tees	■		■	■	■	Multislit/ Maxislit only	■	■	■	Varibrush only	■		■	■
Golf - Greens	■	TM1000 only	■	■	■	■	■	■	■	■	■	■	■	■
Golf - Fairways		■		■		■	■	■	■	■	■	■	■	
Ornamental/Lawns	■	TM1000 only	■		■				■				■	■
Local Authority/ Contractors	■	■	■	■	■	■	■	■	■	■	■	■	■	■

This information is intended for guidance purposes only. We recommend that you discuss your specific requirement with our head office, Sales Managers or your local SISIS dealer. This guide is subject to machine specification change. At SISIS we are always seeking to improve our products. For the latest information on vibration and noise emissions please visit ***www.sisis.com*** and view the product manuals in the customer service section.

DEN13888 - Sisis Catalogue 2019/20 04.indd 43 05/11/2019 08:59

Gaining knowledge from the experts

The Dennis and SISIS education seminars are popular events hosted at clubs and facilities across the UK and overseas. Attending delegates receive a wealth of practical and theoretical insight from our carefully chosen expert speakers and the seminars represent a unique opportunity to share knowledge, experience and best practice.



Seminar programs focus on specific sports surfaces. A wide range of topics are covered including machinery maintenance, fertilizers, top dressing, seeds and disease. The Q&A sessions at the end of the day gives everyone an opportunity to ask their questions.

DEN13888 - Sisis Catalogue 2019/20 04.indd 44 05/11/2019 08:59

I came along today to see if there was any information I could pick up and it's been very informative. I would recommend this kind of event to any greenkeeper and even to bowlers. Every little helps and I don't care how many times you come to one of these – you are always going to learn something new. It has been absolutely superb."

Peter Cross from Nuneaton Bowls Club

Contact Marketing on 01332 824777 for details of our next series of seminars

"80 years of experience have taught us many things – including that you don't get to be the best overnight.

Like the world class sportsmen who play on SISIS maintained pitches demonstrate, it takes skill, dedication and a willingness to learn to reach and stay at the top of the game."



DEN13888 - Sisis Catalogue 2019/20 04.indd 45 05/11/2019 08:59

A helping hand from Team SISIS

Access to all the information you need



The SISIS website is a constantly evolving source of useful and practical information for SISIS users. You can watch videos of machines in action, learn valuable tips about turf maintenance and download operating manuals on all SISIS products at your convenience – any time, any day.

Experience our excellent network of dealers



The dealerships that represent SISIS products are carefully selected to ensure customers receive first class professional support including machine service, spare parts, technical support and product demonstrations. Whatever you need, our dealers will always be there to help.

Next day spare parts

At SISIS we understand the importance of reducing machine downtime so we carry a vast stock of spare parts, all of which can be dispatched next day delivery through our specialist dealer network.

In addition, our online resource of operator manuals now makes it even easier to identify the correct part number.

SISIS®

We keep good company

SISIS supports industry associations through corporate membership, which include:

Institute of Groundsmanship
Telephone: +44 (0)1908 312511
www.iog.org

STRI
Telephone: +44 (0)1274 565131
www.stri.co.uk

BIGGA
Telephone: +44 (0)1347 833800
www.bigga.co.uk

FEGGA
www.fegga.org

SAPCA
Telephone: +44 (0)24 7641 6316
www.sapca.org.uk

Warranty
Two year "peace of mind" warranty. For further details call us on +44 (0)1332 824777.

DEN13888 - Sisis Catalogue 2019/20 04.indd 46 05/11/2019 08:59

Built with experience

Creating the perfect looking turf is the ultimate aim of every groundsman, greenkeeper and gardener the world over.

Whether in preparation for a prestigious event at a national stadium or a leisurely Sunday afternoon at the local sports club, your turf's appearance is everyone's first impression.

The team at Dennis shares your pride in creating the best. That's why we are so passionate about the products we design, make and test at our Derbyshire factory. Every mower is hand built by experienced engineers, drawing on a long tradition of quality manufacturing and using only the best most reliable materials and components.

To find out more about the Dennis range of products or to request a catalogue telephone +44 (0)1332 824777 or visit www.dennisuk.com.









Expert Surfaces

DEN13888 - Sisis Catalogue 2019/20 04.indd 47 05/11/2019 08:59

Expert Surfaces

Ashbourne Road, Kirk Langley, Derby DE6 4NJ, UK
Tel UK: 01332 824777 Fax UK: 01332 824525
Tel International: +44 1332 824777
Fax International: +44 1332 824525
Email: info@sisis.com

www.sisis.com

www.dennisuk.com

www.synprobysisis.com

Due to a policy of continual development SISIS reserves the right to change specification without prior notification. All goods sold subject to the company's terms and conditions of sale, copies available on request.

E&EO