

Workman® HD Series Attachments & Accessories

Workman HD Series Utility Vehicles

The Workman HD Series is designed with your toughest work challenges in mind, from the front bumper to the rear bumper and everything in between. Engineered with the highest total carrying capacity in the industry and a wide variety of attachments and accessories, the Workman HD Series utility vehicles can be equipped with the right tool in any application.



Workman HD | 07369

- 23 hp (17 kW), 674 cc air cooled Kohler® Command PRO® gas engine
- Total carrying capacity 3,352 lbs (1,524 kgs) and a towing capacity of 3,500 lbs (1588 kgs)
- DeDion design rear suspension system with dual coil springs and shock absorbers

Workman HDX-D | 07385

- 23.3 hp (17.4 kW), 898 cc liquid cooled Kubota® 902D diesel engine
- Total carrying capacity 3,244 lbs (1475 kgs) and a towing capacity of 3,500 lbs (1588 kgs)

Workman HDX-D – 4WD | 07387

- 23.3 hp (17.4 kW), 898 cc liquid cooled Kubota® 902D diesel engine
- Total carrying capacity 3,185 lbs (1448 kgs) and a towing capacity of 3,500 lbs (1588 kgs)
- On demand, bi-directional four wheel drive traction for increased traction and control

Workman HDX | 07384

- 32.5 hp (24.2 kW) horsepower, 962 cc liquid-cooled Kubota® 972EFI gas engine
- Bed carrying capacity 3,249 lbs (1477 kgs) and a towing capacity of 3,500 lbs (1588 kgs)

Workman HDX – No Bed | 07383

- 32.5 hp (24.2 kW) horsepower, 962 cc liquid-cooled Kubota® 972EFI gas engine
- Total carrying capacity 3,577 lbs (1625 kgs)
- Towing capacity of 3,500 lbs (1588 kgs)

Workman HDX – 4WD | 07386

- 32.5 hp (24.2 kW) horsepower, 962 cc liquid-cooled Kubota® 972EFI gas engine
- Total carrying capacity 3,190 lbs (1450 kgs) and a towing capacity of 3,500 lbs (1588 kgs)
- On demand, bi-directional four wheel drive traction system for increased traction and control

Attachment Options



ProPass™ 200 Topdresser | 44700 / 44701

- Evenly apply materials to the turf from 9 ft (2.74 m) to 35 ft (10.67 m)
- Repeatable settings for consistent operation and defined edges
- 21 ft³ (.54 m³) of material handling capability
- Standard or electronic controls
- Switch from Twin Spinner to optional Cross Conveyor / Swivel Kit Assembly model 44703 in minutes with no tools

Workman® HD Series Accessories

Attachment Options



Topdresser 1800 | 44225

- 18 cubic feet (502 liters) conveyor belt style topdresser that is hydraulically driven by remote hydraulics
- Mounts to rear 2/3 of the Workman utility vehicle to deliver precise topdressing application

Topdresser 1800 Lift Kit | 92-4452

- Lift kit assembly consisting of chain and brackets
- Used to assist in the installation and removal of the Topdresser 1800



Cab – Sliding Window Door Kit | 07375

- Provides 2 doors for cab
- Operator door has a sliding window
- Gives operator the ability to access exterior elements, such as showing or swiping an identification security badge



Casket Transporter | Allied

- Cemetery application used to transport caskets
- Contact **R&D Fabrication and Welding:** 309-796-1126 www.rndfab.com



1/3 Vertical Lift | 07347

- An elevating, scissor-lift work platform with 600 lb (272 kg) lift capacity that can be raised from 38" to 98" (96cm – 250cm)



Cab – Solid Window Door Kit | 07376

- Provides 2 doors for cab
- Both operator and passenger doors have solid windows



Viccon Spreader | 41256

- Pendulum action spreader for spreading sand, fertilizers, seed, and other dry material
- 14.1 cubic feet (408 liters) of material handling capability
- Requires High Flow Hydraulics Kit - 07316
- Requires Viccon Spreader Mounting Kit - 41253



Deluxe Hard Cab (Doors Not Included) | 07339

- Features a vented front glass windshield for cross ventilation, glass windshield, and side panels for enhanced visibility, interior dome light, and a 2-speed windshield wiper
- ROPS & CE certified

Cab Heater | 07349

- Mounted inside on the passenger side near the floor
- Heater provides enhanced comfort when needed on cold weather days – ties into radiator

Cab Rear View Mirror Kit | 117-4830

- Operator and passenger side mounted rear view mirrors for enhancing all around visibility
- Externally mounted to the cab frame



Patriot Lift | Allied

- Aerial lift device for maintenance of golf courses, parks, orchards, street lights, etc.
- Working height of 25 ft. (7.62m)
- Contact **TG Industries:** 712-864-3737 www.armlift.com

Workman® HD Series Accessories

Towed Attachments



Topdresser 2500 | 44507

- A self-contained, all-wheel drive unit towed behind a Workman HD series utility vehicle
- 25 cubic foot (698 liters) capacity to tackle the toughest topdressing jobs
- All-wheel drive ensures a consistent application rate on uneven terrain



ProCore® Processor | 09749

- Sweeps, processes, and disperses aeration cores in one, quick operation
- Designed for large turf areas, 70" (178cm) processing width



Pro Sweep™ | 07066

- Towed, two wheel sweeper with 25 cu. ft. (698 liters) high dump hopper capable of dumping into the bed of the Workman HD Series vehicles
- Used to collect aeration cores or other debris
- Sweeping width of 52" (132cm) and a 14" (36cm) hydraulically-driven brush
- Wireless Remote Control



Synthetic Turf Conditioner | 08791

- Stainless spring steel brushes loosen the infill from compacted fields
- Evenly redistributes and levels the playing surface for increased playability and safety



Rahn Groomer | Allied

- The Rahn GL650 Infield Groomer levels uneven playing fields, helping to prevent ridge build up while creating a safer, more consistent infield
- The triple row broom is perfect for finishing the playing surface and can be stored upright for easy transport
- Works as an efficient dethatching tool and prepares outfield grass for overseeding
- Scarifier and Spring Tine options available
- The 2-Way leveling system provides both a lock and float position to match infield conditions
- Rahn Groomer and Mounting Kit available from Rahn Industries, www.rahngroomer.com or 800-298-1707

Workman Spray System



Multi Pro™ WM Sprayer | 41240

- Transforms your Workman into a highly productive precision sprayer
- 200 gallon (757L) low profile tank sprayer with diaphragm pump using a 3-section 18 1/2" (5.6m) open boom system
- Requires Rear PTO Kit – 07419, and 4-Post ROPS Kit – 07378
- Rear view Mirror – 107-8048 & Hand Throttle – 07420/07388, are recommended with all spray systems



ProFoam Marking Kit | 41236

- Dispenses soap foam droplets from outer tip of boom during spray operations
- Makes it easier to correctly overlap the spray pattern on the return path
- Requires ProFoam Marking Kit Mounting Bracket – 112-7866

ProFoam Concentrate | 41157

- Soap concentrate for use with all Toro foam markers
- 4 – 1 US gallon bottles per case

Hose Reel Kit 150' (7m), 1/2" (12.7mm) Hose | 41097

- Powered reel that connects to spray gun to add flexibility to your Workman sprayer
- Used to spot spray greens and other hard to reach turf

Hand Spray Gun Kit | 41133

- Includes 25' of 1/2" hose (7.6m of 12.7mm hose), hose hanger, hose hook, trigger actuated spray gun, gun mounting bracket, rate control switch and control valve

Sonic Boom Kit | 41217

- Automatically adjusts the height of the outer boom to maintain constant distance to ground for uniform overlap
- Utilizes sonar to measure the distance to ground

Workman® HD Series Accessories

Accessory Options



Canopy | 07372

- Protects operators and passengers from the sun and rain
- Made of durable, high density polyethylene material with drainage outlets for moisture runoff



Folding Windshield | 07373

- Clear, high impact modified acrylic material
- Quick and easy fold down design to allow air flow and enhance operator and passenger comfort



Full Flatbed Fold Down Side Kit (w/ tailgate) | 07303

- Hinged side panels
- Front panel and tailgate can be folded down independently



2/3 Area Flatbed | 07321

- Welded steel diamond plate flatbed that mounts to the vehicle frame
- 2/3 flatbed area has 48" (1.2m) length and 55" (1.4m) width

2/3 Area Flatbed Side Kit | 07322

- Short bed side panels, front panel and tailgate with fixed pivot point

High-Flow Hydraulics Kit | 07316

- Provides 8 GPM hydraulic flow in a separate circuit
- Used to power attachments and implements, such as Pro Sweep, Vicon Spreader, Topdressers, etc.



4-Post ROPS | 07378

- Consists of four vertical posts connected together by top members
- Protects operator from injury in case of roll over

Note: 4-Post ROPS must be added to 41235 – Workman Sprayer



Work Light Kit | 117-4827

- Consists of three work lights for mounting on top of ROPS bar



ROPS Signal Light Kit | 117-4825


- Consists of two double amber warning lights and two single red tail lights
- Mounted on top of ROPS bar
- Requires 07317 or 07315 Light Kit for the necessary wiring for ROPS Kit

Signal Light Kit | 120-5045

- Turn signal lights for both corners in the front and rear
- Also contains brighter beam headlights

Workman® HD Series Accessories

Accessory Options



Rear PTO Kit | 07419

- Rear-mounted, 540 RPM, PTO shaft mechanically driven by transaxle
- Required for the Workman Sprayer System - 41235

Spark Arrestor | 112-1688

- Used for Daihatsu engines
- Fits into end of tailpipe to help prevent sparks from emitting from exhaust

Plastic Bedliner | 07331

- A rugged, weatherproof plastic construction liner that protects cargo bed

High Air Intake Kit | 121-6285

- Kit extends air intake system from underneath the cargo bed to a position slightly above the ROPS shield behind the passenger position of the vehicle
- Recommended for dusty applications

Side-Mounted Rear View

Mirror Kit | 115-7849

- 8 1/2" (21.6cm) convex mirror with mounting capability on either side of the operator or passenger side of the vehicle

2" Receiver Hitch Kit | 117-4831

- Provides a 2" (5cm) square receiver to enable a "drawbar" hitch

Remote Hydraulic Float Kit | 117-4828

- A hydraulic float kit that enables both hydraulic lifting and the "float" down position
- Required when a Deere TC125 is used

Remote Hydraulic Manifold Kit | 110-2626

- A hydraulic manifold kit that provides the ability to switch hydraulics between cargo bed actuation and remote port usage via use of an operator panel-mounted switch

Horn Kit | 115-7825

- Used to alert other vehicles, pedestrians or traffic

Tachometer/

Speedometer for HD | 115-7786

- Provides a tachometer and speedometer for the HD air-cooled Workman



Rear PTO Overrunning Clutch Kit | 92-2655

- Required when using rear mounted, high inertia attachments, such as mower decks or blowers
- Allows the attachment drive shaft to continue rotating after disengagement of the vehicle PTO

Trailer Brakes | 117-4837

- Kit provides a controller which plugs into Workman vehicle and a positive wire
- Assists the hook up of customer supplied electric trailer brakes

Trailer Signal Wiring | 117-4836

- Kit provides electrical wire for Workman vehicle
- Allows operator to enable easy hook up to customer supplied trailer signal and brake lights

Reverse Alarm | 107-8037

- Provides automatic reversing alarm
- Sounds whenever the vehicle is in reverse gear

Mid-Mount Kit for Vertical Lift | 93-3741

- Specific mounting kit required for installation of 1/3 vertical lift in the mid position of the vehicle frame

Rear 1/3 Area Mounting Kit | 93-9249

- Specific mounting kit required for installation of 1/3 Flatbed in rear position of the vehicle frame



Automatic Tailgate Release | 92-1220

- Automatic tailgate release when dumping from cargo bed and resets automatically upon lowering bed
 - Saves operator time and effort as they do not need to leave their seat to dump cargo
 - Works on full or 2/3 full bed with full sides
- Note: Does not work with Folding Side Kit**



Hand Throttle HDX-D | 07420

- Mechanical throttle and speed limit control
- Provides constant RPM for stationary attachments or a controlled maximum speed for applications such as spraying or spreading

Hand Throttle Kubota® EFI | 07388

- Electronically-controlled throttle and speed control
- Holds RPM constant during spraying and topdressing applications for consistent application rate

Engine Cover Kit | 117-4867

- Shield device that covers alternator and belt on liquid-cooled models

Note: Not available for air-cooled models